

.

From: Hanchett, James (DPH)
Sent: Wednesday, March 21, 2012 7:56 AM
To: Nassif, Julianne (DPH)
Subject: RE: vacuum pump

My mistake we need an NW16 flange.

Jim

From: Nassif, Julianne (DPH)
Sent: Tuesday, March 20, 2012 3:18 PM
To: Hanchett, James (DPH)
Subject: FW: vacuum pump
Importance: High

From: Piro, Peter (DPH)
Sent: Tuesday, March 20, 2012 3:17 PM
To: Nassif, Julianne (DPH)
Subject: RE: vacuum pump

I should be able to give him one. Does he need the Edwards or Pfeiffer?

From: Nassif, Julianne (DPH)
Sent: Tuesday, March 20, 2012 3:01 PM
To: Salemi, Charles (DPH); Piro, Peter (DPH); Servizio, Paul (DPH); Kane01, Peter (DPH)
Subject: vacuum pump
Importance: High

Do we have a spare vacuum pump that Jim Hanchett can borrow until he is able to get a replacement?
Julie

Julianne Nassif
Director of Analytical Chemistry
William A. Hinton State Laboratory
Massachusetts Department of Public Health
305 South Street Boston, MA 02130
617.983.6651 (voice) 617.983.6662 (fax)